

INDEX MAPS.

T. 8N, R. 5E. 2nd Mer.

	462		463		463		463		464		464	
466	6	458	5	482	4	478	3	474	2	470	1	460 462
	488		487		482		478		474		470	
466	7	487	8	481	9	478	10	474	11	470	12	460 462
	487		486		481		477		473		469	
466	18	486	17	481	16	477	15	473	14	469	13	460 461
	485		485		480		476		472		469	
465	19	485	20	480	21	476	22	472	23	468	24	460 461
	484		484		480		476		472		468	
465	30	484	29	479	28	475	27	471	26	468	25	460 461
	483		483		479		475		471		467	
465	31	483	32	479	33	475	34	471	35	467	36	460
	457-459		457-459		457-459		457-458		457-458		458	

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

457

Township N. 8 N, Range N. 5 E. 2. Mer. Indiana
ch. Lk.

South Boundary var. 7.00' E.

East On Rand^m S. boundary 31

40.00 Set temp^y. q^r. Sec. post

59.96 a Brook 10 lks. wide Course S. W.

80.00 Set temp^y. Cor. to Sec. 31 & 32, T 8 N, R 5 E.

This mile over with Beech & Hickory land
undergrowth Spice.

East On Rand^m S. boundary of Sec. 32

32.55 a Brook 7 lks. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

68.60 a Brook 4 lks. wide Course S. W.

80.00 Set temp^y. Cor. to Sec. 32 & 33, T 8 N, R 5 E.

Land timber &c. same as on the last mile

East On Rand^m S. boundary of Sec. 33

37.59 a Brook 3 lks. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

65.00 a Brook 5 lks. wide Course South

80.00 Set temp^y. Corner, to Sec. 33 & 34, T 8 N, R 5 E.

This mile over rolling land, timber Beech,
Poplar &c. undergrowth Spice.

East On Rand^m S. boundary of Sec. 34

38.00 a Brook 4 lks. wide Course S. E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Cor. to Sec. 34 & 35, T 8 N, R 5 E.

Over rolling land, timber Beech, Oak, Poplar
&c. undergrowth Spice.

East On Rand^m S. boundary of Sec. 35

40.00 Set temp^y. q^r. Sec. post

44.50 a Creek 50 lks. wide Course South

T8N R5E, 2^d. Mer. IndianaCh. L₂.

80.00 Set temp^y. Cor. to Sec^s. 35 & 36, T8N, R5E.
Over level wet land, timber Beech, (Maple
&c. including th Spruce &c.

East On Rand^m. S. boundary of Sec. 36.

35.57 a Brook 5th wide Course S.W.

40.00 Set temp^y. gr. Sec. post

84.25 Intersected the Range line between Ranges
5 & 6 East of Town 7 & 8 N.
(description of Land &c. Omitted)

Nest On true line S. boundary of Sec. 36

15.80 a Hickory 15 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 12 in. dia. bray N 73 E 20 lks. dist. of
a No. 6 " " " N 79 W 14 " "

50.04 a Beech 20 " "

80.00 Set post Cor. to Sec^s. 35 & 36, from which
a Beech 8 in. dia. bray S 42 E 29 lks. dist. of
a Poplar 10 " " " S 43 W 21 " "

Nest On true line S. boundary of Sec. 35

21.80 a Poplar 40 in. dia. bray

40.00 Set gr. Sec. post, from which

a Beech 12 in. dia. bray S 59 W 6 lks. dist. of
no other tree

50.32 an Oak 36 in. dia.

80.00 Set post Cor. to Sec^s. 34 & 35, from which
a Beech 12 in. dia. bray N 37 E 24 lks. dist. of
a No. 30 " " " N 80 W 16 " "

Nest On true line S. boundary of Sec. 34

9.16 a Beech 18 in. dia.

N 8 N. R 5 E. 2nd Mer. Indiana

459

Chas. L. H.

40.00 Set q. Sec. post, from which
a Beech 12 in. diam. bran S 87 E 10 lks. dist. of
a do. 16 " " " S 80 W 20 " "
80.00 Set post Cor. to Sec. 33 of 34, from which
a Beech 30 in. diam. bran N 82 W 14 lks. dist. of
a do. 24 " " " East 8 " "

Nest On true line S. boundary of Sec. 33

33.65 a Beech 15 in. diam.

40.00 Set q. Sec. post, from which
a Beech 36 in. diam. bran N 70 E 11 lks. dist. of
a do. 14 " " " N 56 W 11 " "

80.00 Set post Cor. to Sec. 32 of 33, from which
a Beech 10 in. diam. bran S 82 E 36 lks. dist. of
a do. 12 " " " S 77 W 33

Nest On true line S. boundary of Sec. 32

40.00 Set q. Sec. post, from which
a Beech 14 in. diam. bran N 50 E 4 lks. dist. of
a do. 12 " " " N 60 W 16 " "

41.82 a Beech 12 " "

80.00 Set post Cor. to Sec. 31 of 32, from which
a Beech 14 in. diam. bran N 23 E. — lks. dist. of
a do. 12 " " " N 88 W 23 " "

Nest On true line S. boundary of Sec. 31

40.00 Set q. Sec. post, from which
a W. Oak 10 in. diam. bran S 21 W 18 lks. dist. of
a do. 12 " " " N 9 E 18 " "

82.06 Intersected the Range line at town
Corner. June 8th 1819

East Boundary

T8N R5E. 2^d Mer. Indiana

ch. 2. 1819.

South On Rand^m. E. boundary of Sec. 19.75 Intersect E. Fork of White river keep the channel
Course of River South

30.00 leave the river running S. E.

40.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Cor. to Sec. 1 & 12, T8N. R5E.Over level low grounds, timber Ash, Hackberry
Walnut &c. under^g. Spruce.South On Rand^m. E. boundary of Sec. 1240.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Corner to Sec. 12 & 13, T8N. R5E.South On Rand^m. E. boundary of Sec. 1340.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Cor. to Sec. 13 & 24, T8N. R5E.South On Rand^m. E. boundary of Sec. 2440.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Corner to Sec. 24 & 25, T8N. R5E.South On Rand^m. E. boundary of Sec. 2540.00 Set temp^y. q^r. Sec. post80.00 Set temp^y. Cor. to Sec. 25 & 36, T8N. R5E.South On Rand^m. E. boundary of Sec. 3640.00 Set temp^y. q^r. Sec. post78.16 Intersected the E. & W. line between Towns 7 & 8
N, 260 l^y. E. of the Corner. June 7th 1819

Variation 6° 45' E.

North On true line E. boundary of Sec. 36

40.00 Set q^r. Sec. post, from which

T8N R5E. 2.nd Mer. Indiana

461

ch. Lks.

a Gum 8 in. dia. bray S33 $\frac{1}{2}$ W 17 lks. dist. of
 a Beech 7 " " " N69E 20 " "
 80.00 Let post Cor. to Sect. 25 of 36, from which
 a Hickory 6 in. dia. bray N64W 17 lks. dist. of
 a Do. 9 " " " S83 $\frac{1}{2}$ E 13 " "
 Over level low ground, timber Beech, Hickory
 Oak &c. undugth the same

North On true line E. boundary of Sec. 25

40.00 Let q. Sec. post, from which
 a W. Oak 30 in. dia. bray S51W 19 lks. dist. of
 a Beech 15 " " " N30E 18 " "
 80.00 Let post Cor. to Sect. 24 of 25, from which
 a Beech 24 in. dia. bray S29W 15 lks. dist. of
 a Do. 20 " " " N71W 21 " "
 Over level ground, timber Beech, Oak, hickory
 &c. undugth Spruce

North On true line E. boundary of Sec. 24

40.00 Let q. Sec. post, from which
 a Beech 12 in. dia. bray S10 $\frac{1}{2}$ W 20 lks. dist. of
 a Do. 12 " " " N49 $\frac{1}{2}$ E 22 " "
 80.00 Let post Cor. to Sect. 13 of 24, from which
 a Beech 10 in. dia. bray S47W 24 lks. dist. of
 a Sugar 15 " " " N81W 16 " "
 Over level ground, timber Beech, Oak &c.
 undugth Spruce &c.

North On true line E. boundary of Sec. 13

40.00 Let q. Sec. post from which
 a Sugar 15 in. dia. bray N84E 2 lks. dist. of
 a Do. 10 " " " N15E 27 " "
 80.00 Let a post Cor. to Sect. 12 of 13, from which

T8N. R5E. 2^d. Mer. Indianach^d. Sk^y.

a B. Walnut 6 in. dia. bray N10E10 l^hs. dist. of
 a Mulberry 4 " " " S80E14 " "
 1st 1/2 mile rich land, - timber Sugar Walnut &c
 last 1/2 mile low ground, timb. Beech, Oak &c.
 undergth Spruce &c.

North On true line E. boundary 12

40.00 Let q. Sec. post, from which

a Hackberry 9 in. dia. bray N54W6 l^hs. dist. of
 an Elm 8 " " " N80E13 " "

80.00 Let post Cor. to Sec. 1 of 12, from which

a Beech 10 in. dia. bray S72E4 l^hs. dist. of
 a Co. 36 " " " N12W22 " "

Over level land timber Beech, Hackberry &c.
 undergrowth Spruce Soil good

North On true line E. boundary of Sec. 1

40.00 Let q. Sec. post, from which

a Sycamore 10 in. dia. bray S86E18 l^hs. dist. of
 a Coffeenut 15 " " " S86W17 " "

48.16 to E. Fork of White River keep the channel

68.41 leave the River

78.16 to the Corner of Town 8 of 9 N. Range 5 of 6
 East June 8th 1819

North Boundary

East On S. boundary of Sec. 31, T9N. R5E.

4.90 a Red Oak 27 in. dia.

7.64 a Brook 10 l^hs. wide Course S. E.

40.00 Let q. Sec. post, from which

a Poplar 18 in. dia. bray S59W11 l^hs. dist. of
 a Beech 6 " " " N25W10 " "

46.87 a B. Oak 24 " "

T9 N. R5 E. T. Mer. Indiana

463

ch. Lk.

80.00 Let post cor. to Sec. 31 & 32, T9 N. R5 E, from which
a Beech 10 in. dia. br. S67W10Lk. dist. of
a Do. 15 " " " N9W14 " "
This mile over level ground, timber Beech, Oak,
Poplar &c Soil good

East On S. boundary of Sec. 32, T9 N. R5 E.

1.60 a Poplar 40 in. dia. br.

23.93 a W. Oak 36 " "

40.00 Let of Sec. post, from which
a Maple 15 in. dia. br. - 70 1/2 W 22 Lk. dist. of
a Do. 12 " " " S68E 8 " "

57.68 a Red Oak 12 " "

77.97 an Ash 20 " "

80.00 Let post Cor. to Sec. 32 & 33, T9 N. R5 E, from which
a Beech 59 in. dia. br. North 9Lk. dist. of
an Ash 10 " " " S40W22 " "
This mile is over level land, low ground timber
Beech, Oak, Ash &c. underg^m the same soil good

East On S. boundary of Sec. 33, T9 N. R5 E.

20.42 an Ash 20 in. dia.

40.00 Let of Sec. post, from which
a Beech 9 in. dia. br. S75W8Lk. dist. of
a Do 9 " " " N26W6 " "

72.83 a Do 12 " "

80.00 Let post Cor. to Sec. 33 & 34, T9 N. R5 E. from which
a Beech 6 in. dia. br. S52W4Lk. dist. of
a Do. 15 " " " N26E29 " "
This mile over level land, timber Beech, Poplar,
underg^m Spruce, pawpaw, Soil good.

East On S. boundary of Sec. 34, T9 N. R5 E.

T8 N. R5 E. 2nd Mer. Indiana

Ch. Lks.

23.43 a Beech 15 in. diam.

40.00 dist of Sec. post, from which
a Beech 6 in. diam. bearing N 31° W 19 lks. dist. of
a Do 18 " " " S 3 1/2° E 17 " "

62.90 a Do 14 " "

80.00 dist post Cor. to Sec. 34 & 35, T9 N. R5 E, from which
a Sugar 20 in. diam. bearing S 64° W 16 lks. dist. of
a Beech 12 " " " N 19° W 30 " "
This mile over level land, timber Beech, Poplar
Sugar &c. running to Spruce &c. Soil good

East On S. boundary of Sec. 35, T9 N. R5 E.

13.52 a Beech 15 in. diam.

40.00 dist of Sec. post, from which
a Beech 7 in. diam. bearing 30° W 6 lks. dist. of
a Do. 24 " " " N 39 1/2° E " "

51.00 a Poplar 30 " "

80.00 dist post Cor. to Sec. 35 & 36, T9 N. R5 E, from which
a Locust 27 in. diam. bearing S 73 1/2° E 5 lks. dist. of
a Sugar 12 " " " S 31° W 12 " "
Over level land, timber Poplar, Walnut, Sugar,
&c. running to Spruce rich Soil

East On S. boundary of Sec. 36, T9 N. R5 E.

21.05 a Spanish Oak 27 in. diam.

40.00 dist of Sec. post, from which
a Hackberry 13 in. diam. bearing N 35° W 4 lks. dist. of
a Beech 6 " " " S 18° W 7 " "

48.80 a Pond 300 lks. wide

80.00 dist post Cor. to Townships N: 8 & 9 North, Range
N: 5 & 6 East, from which
a Sycamore 27 in. diam. bearing S 74° E 15 lks. dist. of
a Do. 30 " " " N 43° E 31 " "

T8 N. R5 E. T. Mr. Indiana

465

Ch. Lk.

1st 1/2 mile good land, last 1/2 mile wet, timber
Walnut, Hackberry &c. Soil good

West Boundary var. 6.45' E.
North On E. boundary of Sec. 36, T8 N. R4 E.
9.83 a Beech 20 in. dia.
40.00 at qt. Sec. post, from which
a Beech 14 in. dia. bray N28E 32 lks. dist. of
a do. 22 " " " N18W 8 " "
80.00 at post Co. to Sec. 25 of 36, T8 N. R4 E, from which
a Beech 7 in. dia. bray S48E 10 lks. dist. of
a do. 16 " " " N78W 14 " "
Over level land, timber Beech, Oak, including Spruce.

North On E. boundary of Sec. 25, T8 N. R4 E.
24.32 a Beech 18 in. dia.
40.00 at qt. Sec. post, from which
a Beech 9 in. dia. bray S25W 24 lks. dist. of
a dogw? 6 " " " N21E 15 " "
63.82 a W. Oak 36 " "
78.10 a Brook 6 lks. wide Course S.W.
80.00 at post Co. to Sec. 24 of 25, T8 N. R4 E, from which
a Beech 13 in. dia. bray S34E 20 lks. dist. of
an Ash 18 " " " N73W 10 " "
Over rolling land, timber Beech, Poplar, Oak
including Spruce & birch

North On E. boundary of Sec. 24, T8 N. R4 E
22.82 a Beech 20 in. dia.
40.00 at qt. Sec. post, from which
a Beech 12 in. dia. bray S51W 20 lks. dist. of
a do. 10 " " " N50E 38 " "
46.59 a do 18 " "

T8 N. R5 E, 2^d Mer. IndianaCh. 14th

80.00 At post Cor. to Sec. 13 & 24, T8 N. R4 E, from which
 a Hickory 13 in. dia. bran N46 E 18 lks. dist. of
 a Beech 14 " " " N35 W 12 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, T8 N. R4 E

10.10 a Beech 24 in. dia.

13.00 a Brook 6 lks. wide Course E.

18.10 a do 20 " " " E.

40.00 At q. Sec. post, from which

a Beech 20 in. dia. bran N27 W 26 lks. dist. of

a do. 8 " " " N1 E 18 " "

80.00 At post Cor. to Sec. 12 & 13, T8 N. R4 E, from which

a W. Oak 40 in. dia. bran East 11 lks. dist. of

a ——— 14 " " " S66 E 8 " "

Over rolling land, timber Oak, Beech, Poplar &c
 undergth. Spruce & birch

North On E. boundary of Sec. 12, T8 N. R5 E.

40.00 At q. Sec. post, from which

a Beech 12 in. dia. bran N12 E 10 lks. dist. of

a do. 8 " " " N57 E 33 " "

52.03 a do 18 " "

62.55 a Brook 5 lks. wide Course E.

80.00 At post cor. to Sec. 1 & 12, T8 N. R4 E, from which

a W. Oak 10 in. dia. bran N46 E 17 lks. dist. of

a Gum 20 " " " N85 E 24 " "

Over level land, timber Beech, Oak, Hickory &c
 undergth. greenbrier

North On E. boundary of Sec. 1, T8 N. R4 E.

17.80 a Beech 24 in. dia.

32.59 a Brook 6 lks. wide Course E.

T8 N. R5 E. 2^d. Mer. Indiana

Ch. Lk.

- 40.00 Set q. Sec. post, from which
 a W. Oak 14 in. dia. bears S 2 E 19 lks. dist. 4
 a Beech 12 " " " N 75 E 44 " "
- 85.00 Set a post Cor. to Township N^o 8 & 9 North
 Range, N^o 4 & 5 East, from which
 a Beech 14 in. dia. bears S 23 E 8 lks. dist. 4
 a Do. 10 " " " N 54 E 10 " "
- Over rolling land, Beech, Oak, and ^{tr} Spruce
 June 3rd 1819. John. M^c. Donald, R. S.

Comp.

-
- Subdivision var. 6.31' E.
- North Between Secs. 35 & 36
- 19.79 a Poplar 36 in. dia.
- 40.00 Set q. Sec. post, from which
 a Beech 15 in. dia. bears S 6 W 11 lks. dist. 4
 a Do. 4 " " " N 68 E 20 " "
- 61.27 a Poplar 30 " "
- 80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which
 a Beech 20 in. dia. bears S 29 W 15 lks. dist. 4
 a W. Ash 16 " " " N 30 E 50 " "
- Broken 2^d rate Land Beech, Poplar, Hickory, Sugar,
 Ash, Undergrowth Spice, Dogwood.
-

- East On Random between Secs. 25 & 36.
- 40.00 Set temp. q. Sec. post
- 81.26 Intersected the E. boundary 1.80 lks. — of post
 Flat wet Land 3^d rate Beech Hickory Maple Elm &c.
-

- West Corrected between Secs. 25 & 36.
- 40.13 Set q. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears S 61 W 21 lks. dist. 4
 a Do. 20 " " " S 61 E 17 " "
- 80.26 to Section Corner

S. N. R. 5 E. 2^d. Mer. IndianaCh^r. L^yNorth Between Sec^s. 25 & 26.30.50 a Beech 12 in. dia^l.

40.00 Set q^r. Sec. post, from which
 a W. Oak 36 in. dia^l. bears N 45 W 3' lks. dist. 4
 a Beech 12 " " " S 80 E 24 " "

64.00 a Beech 15 " "

80.00 Set post Cor. to Sec^s. 23, 24, 25 & 26. from which
 a Beech 10 in. dia^l. bears S 66 E 2 lks. dist. 4
 a No. 12 " " " S 80 W 24 " "

Land Broken 3^d. rate Beech, Oak, Hickory &c. Undergth.
 Beech, Spruce &c.

East On Random between Sec^s. 24 & 25.40.00 Set temp^y. q^r. Sec. post.

80.46 Intersected the E. boundary 2.32 lks. South of post.
 Over flat 3^d. rate Land Beech, Oak, Hickory, Maple &c.
 Undergrowth Small Beech

West Corrected between Sec^s. 24 & 25.

40.23 Set q^r. Sec. post, at average dist. from which
 a Gum 16 in. dia^l. bears S 30 W 10 lks. dist. 4
 a Beech 12 " " " S 87 E 20 " "

80.46 to Section Corner

North Between Sec^s. 23 & 24.23.23 a Beech 24 in. dia^l.

40.00 Set q^r. Sec. post, from which
 a Beech 15 in. dia^l. bears S 21 E 6 lks. dist. 4
 a No. 12 " " " N 5 W 15 " "

64.10 a Beech 20 " "

80.00 Set post Cor. to Sec^s. 13, 14, 23 & 24. from which
 a Maple 12 in. dia^l. bears S 20 W 21 lks. dist. 4
 a Bur Oak " " " N 20 E 44 " "

T8 N. R5 E. 2^d. Mer. Indiana

Ch. Lk.

Level 2^d. rate Land Beech, Oak, Ash Poplar &c.
Undergrowth Spice, Dogwood &c.

East On Random between Sec^s. 13 & 14.

40.00 Set temp^y. g^l. Sec. post

80.92 Intersected the E. boundary 2.96 lks. South of post
Rolling 2^d. rate Land Beech, Oak, Poplar, Ash &c.
Undergrowth Spice

West Corrected between Sec^s. 13 & 14.

40.46 Set g^l. Sec. post, at average dist. from which
a Beech 12 in. dia. bears N 7 E 22 lks. dist. &
a W. Elm 12 " " " S 44 W 32 " "

90.92 to Section Corner

North Between Sec^s. 13 & 14.

32.45 a Poplar 36 in. dia.

40.00 Set g^l. Sec. post, from which
a Beech 20 in. dia. bears S 28 W 24 lks. dist. &
a Do. 12 " " " N 19 E 26 " "

57.19 a Beech 12 " "

80.00 Set post Cor. to Sec^s. 11, 12, 13 & 14. from which
a Maple 15 in. dia. bears N 20 W 8 lks. dist. &
a Do. 12 " " " S 38 W 25 " "
first 1/2 mile Rolling 2^d. rate last 1/2 mile 1st. rate
Beech, Sugar, Poplar, &c. Undergrowth Spice

East On Random between Sec^s. 12 & 13.

40.00 Set temp^y. g^l. Sec. post

80.60 Intersected the E. boundary 3.20 lks. South of post
Over level ground through thickets of Spice, Beech,
Hickory Hornbeam &c. Sugar &c.

Sept 185 E. 2^d Mer. Indianach^d. 2^d.West Corrected between Sec^s. 12 & 13.

40. 30 Set q^r. Sec. post, at average dist. from which
 a Poplar 3 in. dia^r. bears S 5 W 11 lbs. dist. 4
 a Sugar 12 " " " S 40 W 34 " "
 50. 60 to Section Corner. Sept. 25th 1819.

North Between Sec^s. 11 & 12.

23. 90 a Sugar 20 in. dia^r.
 40. 00 Set q^r. Sec. post, from which
 a Beech 30 in. dia^r. bears North 21 lbs. dist. 4
 a No. 12 " " " S 10 W 53 " "
 55. 15 a Poplar 40 " "
 80. 00 dit post Cor. to Sec^s. 1, 2, 11, & 12, from which
 a W. Ash 6 in. dia^r. bears S 9 E 18 lbs. dist. 4
 a W. Oak 4 " " " S 68 E 19 " "
 first rate bottom Sugar, Beech, Poplar, Walnut &c.
 Undergrowth Spice Pawpaw &c.

East On Random between Sec^s. 1 & 12.

40. 00 Set temp^y. q^r. Sec. post
 51. 92 Intersected the E. boundary 3.86 lbs. S. of post.
 first rate Land Beech, Sugar, Hickory, Elm, Ash, Oak,
 Walnut &c. undergrowth Spice

West Corrected between Sec^s. 1 & 12.

40. 46 Set q^r. Sec. post, at average dist. from which
 a Beech 8 in. dia^r. bears S 53 E 15 lbs. dist. 4
 a Hickory 20 " " " S 74 W 13 " "
 50. 92 to Section Corner

North Between Sec^s. 1 & 2.

19. 30 a Poplar 60 in. dia^r.
 40. 00 Set q^r. Sec. post, from which

T8. R 125 E. 2nd. Mer. Indiana
ch. Lk.

- a Beech 6 in. dia. bears S 13-20 lbs. dist. 4
a Gum 10 " " " N 27 W 12 " "
66.80 a Sugar 12 " " "
80.85 Intersected the N. boundary 4 lbs. W. of post
Set post Cor. to Sec. 1 & 2, from which
a Sugar 12 in. dia. bears S 47 W 20 lbs. dist. 4
a Do. 15 " " " S 8 E 14 " "
first rate bottom Land Beech Sugar Poplar Ash
R. Oak, Walnut, &c. undergrowth Spice

North Between Sec. 34 & 35.

23.40 a Poplar 12 in. dia.

40.00 Set W. Sec. post, from which
a Maple 10 in. dia. bears S 6 E 17 lbs. dist. 4
a Do. 6 " " " North 509 " "

63.15 a Beech 10 " "

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
a Gum 30 in. dia. bears S 20 E 22 lbs. dist. 4
a Beech 8 " " " S 65 E 17 " "
Good 3rd rate land, Beech, Oak, Maple, Gum &c.

East On Rand. between Sec. 26 & 35

40.00 Set temp. q. Sec. post

80.00 Intersected the N. S. line 344 lbs. S. of post
Land Broken 3rd rate, Beech, W. Oak, Poplar &c.

West Cornetted between Sec. 26 & 35

40.00 Set q. Sec. post at average dist. from which
a Beech 12 in. dia. bears N 72 E 6 lbs. dist. 4
a Do. 10 " " " S 64 W 23 " "

80.00 to Sec. Corner. Sept. 26th 1819

North Between Sec. 26 & 27

S 8 N R 5 E, 2^d. Mer. Indianach. 2^h.

33.90 a W. Ash 18 in. diam.

40.00 ditto of Sec. post, from which
a Beech 12 in. diam. diam. N 27 E 17 lns. dist. of
a Do. 36 " " " S 10 W 30 " "

58.58 a Do. 15 " "

80.00 ditto post Cor. to Sec. 22, 23, 26 & 27, from which
a Beech 6 in. diam. diam. S 30 E 9 lns. dist. of
a Do. 8 " " " N 20 W 10 " "
Level 3^d. rate Beech, Oak, Poplar, undg. SpruceEast On Rand^m. between Sec. 23 & 26

40.00 ditto temp. of Sec. post

79.56 Intersected the N & S. line 314 lns. S. of post
Level 3^d. rate land, Beech, Oak, Poplar &c.

West Corried between Sec. 23 & 26

39.78 ditto of Sec. post at average dist. from which
a Beech 18 in. diam. diam. S 80 W 32 lns. dist. of
a Do. 12 " " " N 60 E 6 " "

79.56 to Sec. Corner.

North Between Sec. 22 & 23

18.66 a Poplar 40 in. diam.

40.00 ditto of Sec. post, from which
a W. Ash 15 in. diam. diam. N 37 W 19 lns. dist. of
a Beech 12 " " " N 48 W 16 " "

70.35 a Maple 15 " "

80.00 ditto post Cor. to Sec. 14, 15, 22 & 23, from which
a Gum 12 in. diam. diam. S 65 W 17 lns. dist. of
a Beech 15 " " " S 5 E 7 " "
Broken 3^d. rate land Beech, Oak &c. undg. SpruceEast On Rand^m. between Sec. 14 & 23

T8N R5E 2^d Mer. Indianach^d. 2^h.40.00 Let temp^y. q^r. Sec. post79.35 Intersected the N & S. line 300 lns. S. of post
Level 3^d rate land, Beech, Oak, Hickory &c.
undergth. Dogwood &c.West Corrected between Sec^s. 14 & 2339.65 Let q^r. Sec. post at average dist. from which
a Beech 15 m. diam. bran N 7 E 14 lns. dist. &
a do. 12 " " " N 48 E 25 " "

79.30 to Sec. Corner.

North Between Sec^s. 14 & 15,

36.10 a Gum 10 m. diam.

40.00 Let q^r. Sec. post, from which
a Beech 10 m. diam. bran S 79 W. 10 lns. dist. &
a do. 15 " " " N 10 E 13 " "

58.85 a do. 18 " "

80.00 Let post Cor. to Sec^s. 10, 11, 14 & 15, from which
a Beech 18 m. diam. bran East 2 lns. dist. &
a W. Elm 18 " " " West 40 " "
Level 3^d rate land, Beech, Oak, Hickory, Gum &c.
undergth. Dogwood, Spice &c.East On R and 7^m. between Sec^s. 11 & 1440.00 Let temp^y. q^r. Sec. post79.84 Intersected the N & S. line 262 lns. S. of post
Level 3^d rate land Beech, Oak, Poplar, Gum &c.
undergth. Spice &c.West Corrected between Sec^s. 11 & 1439.92 Let q^r. Sec. post at average dist. from which
a Gum 20 m. diam. bran East 6 lns. dist. &
a Hickory 20 " " " S 25 W 26 " "

T8N R5E. 2nd Mer. Indianach^d. Lk₂

79.84 to Sec. Corner.

North Between Secs. 10 & 11

18.85 a Poplar 60 in. dia.

40.00 At gr. Sec. post, from which

a Beech 24 in. dia. bray N 73° W 7 lks. dist. of

a do. 4 " " " S 2 E 19 " "

68.25 a do 18

80.00 At post Cor. to Secs. 2, 3, 10 & 11, from which

a Beech 18 in. dia. bray N 79° W 17 lks. dist. of

a do. 18 " " " S 76 E 27 " "

Broken 3rd rate land, Beech, Hick^y, Poplar &c.
undergrowth SpiceEast On Rand^m. between Secs. 2 & 1140.00 At trip p^y. gr. Sec. post

79.64 Intersected the N of S. line 296 lks. S. of post

Rolling 3rd rate land, Beech, Oak &c. undugth.

Dogwood, Spice &c.

West Cornetted between Secs. 2 & 11.

39.82 At gr. Sec. post at average dist. from which

a Beech 20 in. dia. bray S 81° W 8 lks. dist. of

a do. 12 " " " N 87 E 35 " "

79.64 to Sec. Corner. Sept. 27. 1879

North Between Secs. 2 & 3

25.44 a Beech 8 in. dia.

40.00 At gr. Sec. post, from which

a Beech 15 in. dia. bray N 50° W 10 lks. dist. of

a W. Ash 24 " " " S 20 E 20 " "

61.00 a do 24 " "

81.75 Intersected the N. boundary 177 lks. E. of post

T 8 N - R 5 E, 2^d. Mer. Indiana

Ch. Lk.

Set post Cor. to Sec. 2 & 3, from which
 a Beech 12 mi. dist. bear N 40 W 34 lks. dist. of
 a W. Oak 12 " " " S 75 E 20 " "
 Land rolling 2^d. rate Beech, Oak, Poplar &c.
 undugth. Spruce

North Between Sec. 33 & 34

18.53 a Beech 20 mi. dist.

40.00 Set q^r. Sec. post, from which
 a Beech 15 mi. dist. bear S 34 W 33 lks. dist. of
 a do. 32 " " " N 15 E 18 " "

64.33 a do. 12 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
 a Sassafras 8 mi. dist. bear N 37 E 10 lks. dist. of
 a Sugar 18 " " " S 30 W 5 " "
 1st 1/2 mile level - last 1/2 mile broken 3^d. rate land
 Beech, Poplar, Oak &c. undugth. Spruce

East On Road^m. between Sec. 27 & 3440.00 Set temp. q^r. Sec. post

79.80 Intersected the N & S. line 124 lks. S. of post
 Broken 3^d. rate land, Beech, Oak, Gum, Poplar &c.

West Correlated between Sec. 27 & 34

39.90 Set q^r. Sec. post at average dist. from which
 a Beech 24 mi. dist. bear South 32 lks. dist. of
 a do. 18 " " " S 47 W 18 " "

79.80 to Sec. Corner.

North Between Sec. 27 & 28

23.89 a Beech 18 mi. dist.

40.00 Set q^r. Sec. post, from which
 a R. Oak 24 mi. dist. bear S 50 W 5 lks. dist. of

S 8 N R 5 E, Tⁿ. Mer. Indiana
ch. Lk.

a Hornbeam 4 in. dia. bears N 18 E 15 lks. dist. of
66.50 a Poplar 60 " "
80.00 let post Cor. to Sec. 21, 22, 27 & 28, from which
a Beech 15 in. dia. bears N 66 W 17 lks. dist. of
a Do. 18 " " " N 21 E 15 " "
Broken 3^d rate land Beech, Oak, Poplar, Gum &c.
undergth Spruce, Dogwood &c.

East On Rand^m between Sec. 22 & 27

40.00 Let temp. of. Sec. post
79.50 Intersected the N. & S line 1.22 lks. South of post
level wet Land 3^d rate Beech Oak poplar Gum &c.
undergrowth Spruce &c.

West Corrected between Sec. 22 & 27.

39.75 Let of. Sec. post at average dist. from which
a Beech 10 in. dia. bears S 8 E 10 lks. dist. of
a W. Elm 12 " " " N 34 W 11 " "
79.50 to Section Corner

North Between Sec. 21 & 22

26.44 a Beech 12 in. dia.
40.00 Let of. Sec. post, from which
a Beech 10 in. dia. bears East 4 lks. dist. of
a Saparas 10 " " " S 9 W 23 " "
65.26 a W. Elm 20 " "
80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which
a Hickory 8 in. dia. bears S 32 W 17 lks. dist. of
a Beech 10 " " " S 24 E 6 " "
Land 3^d rate level. Beech Poplar Ash &c. undergrowth
Spruce Dogwood &c. September 28th 1819.

East On Random between Sec. 15 & 22.

T&N R5E. 2.nd Mer. Indiana

Ch^d. Sh.

- 40.00 Set temp^y. q^r. Sec. post
 79.68 Intersected the N. & S. line 1.44 lks. South of post.
 Level wet land 3.rd rate Beech W. Oak Hickory &c.
 undergrowth Spice &c.
-

West Corrected between Sec^s. 15 & 22.

- 39.84 Set q^r. Sec. post, at average dist. from which
 a Hickory 36 in. dia^r. bears S 68 E 19 lks. dist. 4
 a Beech 30 " " " S 75 E 33 " "
 79.68 to Section Corner
-

North Between Sec^s. 15 & 16.

- 24.61 a Beech 15 in. dia^r.
 40.00 Set q^r. Sec. post, from which
 a Poplar 48 in. dia^r. bears N 68 E 14 lks. dist. 4
 a Beech 16 " " " N 88 W 32 " "
 57.32 a No. 14 " "
 80.00 Set post Cor. to Sec^s. 9, 10, 15 & 16, from which
 a Poplar 6 in. dia^r. bears N 4 E 11 lks. dist. 4
 a Beech 15 " " " South 19 " "
 Level 3.rd rate land Beech Oak Gum &c. undg^t. Spice
-

East On Prandom between Sec^s. 10 & 15.

- 40.00 Set temp^y. q^r. Sec. post
 79.50 Intersected the N. & S. line 96 lks. South of post.
 Level 3.rd rate land Beech Gum Poplar undg^t. Spice Beech &c.
-

West Corrected between Sec^s. 10 & 15.

- 39.75 Set q^r. Sec. post at average dist. from which
 a Beech 18 in. dia^r. bears S 68 E 1/3 lks. dist. 4
 a No. 15 " " " N 85 W 12 " "
 79.50 to Section Corner
-

T8N-R5E. 2^d. Mer. IndianaCh^d. Est.North Between Sec^s. 9 & 10.29.42 a Beech 20 in. dia^r.40.00 Set q^r. Sec. post, from which
a W. Oak 20 in. dia^r. bears N 57° W 11 lbs. dist. 4
a Beech 15 " " " N 6° E 23 " "

59.09 a No. 15 " "

80.00 Set a post Cor. to Sec^s. 3, 4, 9, & 10, from which
a Beech 10 in. dia^r. bears N 88° W 14 lbs. dist. 4
a No. 20 " " " N 14° E 21 " "
Level 3^d. rate land Beech, Oak, Poplar & undergrowth
Dogwood Spice &c.East On Random between Sec^s. 3, & 10.40.00 Set temp^y. q^r. Sec. post80.14 Intersected the N. & S. line 60 lbs. South of post.
Level 3^d. Rate land Beech Poplar Gum &c. underg^r.
Spice & Beech very small.West Corrected between Sec^s. 3, & 10.40.07 Set q^r. Sec. post, at average dist. from which
a Beech 15 in. dia^r. bears S 6° E 21 lbs. dist. 4
a No. 6 " " " N 46° W 22 " "

80.14 to Section Corner

North Between Sec^s. 3 & 4.

8.00 Enter a Swamp

40.00 Set q^r. Sec. post, from which
a Maple 24 in. dia^r. bears N 35° W 14 lbs. dist. 4
a No. 12 " " " S 12° W 12 " "

58.90 leave the Swamp

62.08 a Beech 15 in. dia^r.80.81 Intersected the N. boundary 2.84 lbs. East of post
Set post Cor. to Sec^s. 3 & 4, from which

T8 N R5 E, 2nd Mer. Indiana

Ch. Lk.

a Beech 8 in. dia. bears S 84° W 3 lks. dist. 7

a Poplar 2 1/2 " " " S 45° W 20 " "

Level Swampy ground Maple Beech Ash Poplar.

North Between Secs. 32 & 33.

19. 1 1/4 a W. Oak 12 in. dia.

40. 00 Set of Sec. post, from which
a Red Oak 18 in. dia. bears S 6° E 25 lks. dist. 4
a Sugar 5 " " " N 33° E 19 " "

68. 40 a Sugar 6 " "

80. 00 Set post Cor. to Secs. 28, 29, 32 & 33
from which a Beech 12 S 5° E 25 lks. & a Red Oak 8 N 24° W 24 lks. dist. 1
Broken 3rd rate land Beech Oak Sugar &c. undergrowth
Dogwood Hazel &c. September 27th 1819.

East On Random between Secs. 28 & 33.

40. 00 Set temp. of Sec. post.

80. 8 1/4 Intersected the N. & S. line 2.82 lks. South of post
Hilly 3rd rate land Beech Oak Sugar &c. undergrowth
Spice Dogwood &c.

West Corrected between Secs. 28 & 33.

40. 42 Set of Sec. post, at average dist. from which
a Sugar 10 in. dia. bears S 48° W 12 lks. dist. 7
a Beech 10 " " " N 84° E 25 " "

80. 8 1/4 to Section Corner

North Between Secs. 28 & 29.

27. 3 1/4 a Poplar 28 in. dia.

40. 00 Set of Sec. post, from which
a Beech 20 in. dia. bears South 25 lks. dist. 4
a Gum 10 " " " N 28° W 20 " "

58. 7 1/4 a Beech 18 " "

80. 00 Set post Cor. to Secs. 20, 21, 28 & 29. from which

T8N R5E. 2nd Mer. Indiana
ch. L.

a Beech 24 in dia. bears S 56 W 15 lbs. dist. 4
a No. 12 " " " N 49 E 24 " "
Broken 3rd rate Land Beech Oak Gum, &c. undergrowth
Dogwood Beech &c.

East On Random between Sec. 21 & 28.

40.00 Set temp. g. Sec. post.

80.78 Intersected the N. & S. line 300 lbs. south of post
Broken 3rd rate Land Beech R. Oak W. Oak &c.
undergrowth Dogwood &c.

West Corrected between Sec. 21 & 28.

40.39 Set g. Sec. post at average dist. from which
a Beech 24 in. dia. bears N 34 W 22 lbs. dist. 4
a No. 36 " " " S 33 E 27 " "

89.78 to Section Corner

North Between Sec. 20 & 21.

25.25 a Poplar 24 in. dia.

40.00 Set g. Sec. post, from which
a Beech 15 in. dia. bears S 49 E 9 lbs. dist. 4.
a No. 20 " " " N 23 W 36 " "

61.00 a Poplar 36 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 16 in. dia. bears S 36 E 30 lbs. dist. 4
a No. 12 " " " N 40 W 23 " "
Rolling 3rd rate Land Beech Ash Oak Poplar &c.
undergrowth Spice Dogwood &c.

East On Random between Sec. 16 & 21.

40.00 Set temp. g. Sec. post

80.50 Intersected the N. & S. line 2.60 lbs. south of post
Rolling 3rd rate Land Beech Oak Poplar Ash &c.

T8 N R5 E 2nd Mer. Indianach^d. Lks.

Undergrowth Dogwood Spice &c.

West Corrected between Sec^s. 16 & 21.

40.25 Set q^r. Sec. post at average dist. from which
 a Beech 20 in dia. bears East 30 lks. dist. &
 a No. 12 " " " N 52 W 40 " "

50.50 to Section Corner

North Between Sec^s. 17 & 16.

20.17 a Beech 18 in dia.

40.00 Set q^r. Sec. post, from which
 a Beech 12 in dia. bears N 76 E 20 lks. dist. &
 a No. 18 " " " N 73 W 6 " "

69.30 a No. 12 " "

80.00 Set post Cor to Sec. 8, 9, 16 & 17, from which
 a Gum 15 in dia. bears N 12 E 84 lks. dist. &
 a Maple 18 " " " S 74 E 24 " "
 flat wet Land 3rd rate Beech Hickory Oak &c.

East On Pradom between Sec^s. 9 & 16.40.00 Set temp^y. q^r. Sec. post

80.58 Intersected the N & S. line 2.48 lks. South of post
 flat wet Land Beech Hickory oak Gum

West Corrected between Sec^s. 9 & 16.

40.29 Set q^r. Sec. post at average dist. from which
 a Beech 8 in dia. bears N 55 W 13 lks. dist. &
 a No. 16 " " " S 82 E 14 " "

80.58 to Section Corner

North Between Sec^s. 8 & 9.

23.10 a Poplar 24 in dia.

40.00 Set q^r. Sec. post, from which

T8 N R5 E. 2^d. Mer. Indiana

Ch. Lk.

- a Beech 24 in. dia. bears N 20 E 27 lbs. dist. 4
 a Do. 4 " " " S 77 W 14 " "
 38.25 a Hickory 18 " "
 40.00 Set post Cor. to Secs. 4, 5, 8 & 9. from which
 a Beech 10 in. dia. bears S 86 W 14 lbs. dist. 4
 a Do. 15 " " " East 35 " "
 Broken 3^d rate Land Beech, Oak, Hickory, Gum, &c.
 undergrowth Dogwood, Beech, &c.
-

East On Prudence between Secs. 4 & 9.

- 40.00 Set temp. of Sec. post
 40.30 Intersected the N. & S. line 2.20 lbs. S. of post
 flat wet Land 3^d rate Beech Hickory Maple &c.
-

West Corrected between Secs. 4 & 9.

- 40.15 Set of Sec. post at average dist. from which
 a Maple 6 in. dia. bears N 80 E 9 lbs. dist. 4
 a Do. 12 " " " S 87 W 28 " "
 40.30 to Section Corner
-

North Between Secs. 4 & 5.

- 22.27 a Gum 18 in. dia.
 40.00 Set of Sec. post, from which
 a Poplar 8 in. dia. bears S 40 W 8 lbs. dist. 4
 a W. Ash 12 " " " N 55 E 28 " "
 60.80 a W. Oak 18 " "
 80.10 Intersected the N. boundary 1.60 lbs. E. of post
 Set post Cor. to Secs. 4 & 5. from which
 a Poplar 60 in. dia. bears N 32 W 5 lbs. dist. 4
 a Beech 12 " " " S 38 E 14 " "
 first 1/2 mile Broken last 1/2 mile flat wet Land 3^d rate
 Beech Oak Hickory Ash &c. undergrowth Dogwood
 Beech &c. September 30th 1879.
-

S 8 N - R 5 E, 2^d. Mer. Indiana

Ch. Lks.

North Between Sec^s. 31 & 32.

24.75 a W. Ash 12 in. dia. bears

40.00 Set of Sec. post, from which
a W. Oak 6 in. dia. bears N 79 W 15 lbs. dist. &
a Do. 18 " " " S 10 E 48 " "

56.75 a Beech 18 " "

80.00 Set post Cor. to Sec^s. 29, 30, 31 & 32, from which
a Beech 15 in. dia. bears N 81 W 15 lbs. dist. &

a Do. 10 " " " N 48 E 4 " "

Broken 3^d. rate land Beech, Oak, Ash, &c. undergr^t.
Dogwood Spice &c.East On Pradom between Sec^s. 29 & 32.40.00 Set ^{temp^y} of Sec. post.79.60 Intersected the N. & S. line 2.18 lbs. South of post.
Rolling 3^d. rate land Beech Oak Hickory &c.
undergrowth Dogwood Ironwood &c.West Corrected between Sec^s. 29. & 32.39.80 Set of Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 52 W 12 lbs. dist. &
a Do. 10 " " " N 45 E 23 " "

79.60 to Section Corner

West Between Sec^s. 30 & 31.

27.98 a Hickory 24 in. dia.

40.00 Set of Sec. post, from which
a Beech 18 in. dia. bears S 63 W 23 lbs. dist. &
a Do. 16 " " " North 10 " "

57.85 a W. Ash 18 " "

83.44 Intersected the W. boundary 2.50 lbs. N. of post
Set a post Cor. to Sec^s. 30 & 31, no bearing trees
Over Rolling 3^d. rate land Beech, Oak, Hickory &c.

T8N R5E. 2ⁿ. Mer. Indiana
Ch. St.

Undergrowth Dogwood & Spice

North Between Secs. 29 & 30.

27.55 a Gum 30 in dia.

40.00 Set of Sec. post, from which
a Beech 15 in. dia. bears S 34 W 33 lbs. dist. &
a Do. 32. " " " N 15 E 18 " "

64.33 a Beech 12 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30. from which
a Beech 15 in. dia. bears N 60 E 3 lbs. dist. &
a Poplar 30 " " " S 15 W 15 " "
Broken 3rd rate Land Beech Oak Hickory poplar &c.
Undergrowth Dogwood Spice &c.

East On Wagon between Secs. 20 & 29.

40.00 Set temp. of Sec. post

79.52 Intersected the N. & S. line 200 lbs. South of post
Broken 3rd rate Land Beech Oak Hickory &c.
Undergrowth Dogwood Ironwood &c.

West Corrected between Secs. 20 & 29.

39.76 Set of Sec. post at average dist. from which
a Beech 12 in. dia. bears N 30 W 11 lbs. dist. &
a Do. 16 " " " N 42 E 27 " "

79.52 to Section Corner

West Between Secs. 19 & 30.

18.35 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bears S 10 E 17 lbs. dist. &
a Gum 18 " " " N 63 W 27 " "

69.50 a Beech 20 " "

83.35 Intersected the W. boundary 2.90 lbs. North of post

T8N R5E 2nd Mer. Indiana

485

Ch^s. Lth.

Set post Cor. to Sec^s. 19 & 20. from which
a Beech 24 in. dia. bears S 41 E 6 lbs. dist. 4
a No. 12 " " " North 30 " "
Broken 3rd rate Land Beech, Oak, Hickory Gum &c.
Undergrowth Dogwood Beech &c.

North Between Sec^s. 19 & 20.

19.70 a W. Ash 24 in. dia.
40.00 Set q^r. Sec. post, from which
a Beech 18 in. dia. bears S 88 W 19 lbs. dist. 4
a No. 24 " " " N 72 E 19 " "
54.52 a Beech 18 " "
40.00 Set post Cor. to Sec^s. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bears S 47 E 19 lbs. dist. 4
a Hickory 24 " " " S 44 W 26 " "
Level 3rd rate Land Beech Hickory Oak &c.
Undergrowth Dogwood Spice Ironwood &c.

East On Random between Sec^s. 17 & 20

40.00 Set temp^y. q^r. Sec. post.
79.26 Intersected the N. & S. line 320 lbs. South of post
Level 3rd rate Land Beech Oak Poplar &c.
Undergrowth Spice Dogwood &c.

West Corrected between Sec^s. 17 & 20.

39.63 Set q^r. Sec. post at average dist. from which
a Beech 30 in. dia. bears N 55 W 26 lbs. dist. 4
a W. Elm 20 " " " S 55 E 11 " "

79.26 to Section Corner. Oct. 1st 1819.

West Between Sec^s. 18 & 19.

21.65 a Beech 16 in. dia.
40.00 Set q^r. Sec. post, from which

T8N R5E. 2^d. Mer. Indiana

ch. Lhs.

- a Beech 10 in. dia. bears S 14 E 9 lbs. dist. 4
 a No. 12 " " " N 5 W 24 " "
 62.89 a Gum 24 " "
 82.43 Intersected the W. boundary 2.08 lbs. North of post.
 Set post Cor. to Secs. 18 & 19. from which
 a Beech 18 in. dia. bears N 33 E 18 lbs. dist. 4
 a No. 15 " " " S 55 W 20 " "
 Broken 3^d. rate Land Beech Oak Gum Hickory
 Undergrowth Dogwood Spice &c.
-

North Between Secs. 17 & 18.

- 29.00 a Poplar 32 in. dia.
 40.00 Set of Sec. post, from which
 a Sugar 10 in. dia. bears S 25 W 19 lbs. dist. 4
 a Beech 8 " " " N 41 E 16 " "
 62.70 a W. Ash 20 " "
 80.00 Set post Cor. to Secs. 7, 8, 17 & 18. from which
 a Beech 24 in. dia. bears N 25 E 18 lbs. dist. 4
 a No. 15 " " " S 64 W 25 " "
 Level 3^d. rate Land Beech Poplar &c. undg. Spice.
-

East On Random between Secs. 8 & 17.

- 40.00 Set temp. of Sec. post
 79.46 Intersected the N. & S. line 2.75 lbs. South of post
 Rolling 3^d. rate Land Beech Oak Hickory Gum &c.
 undergrowth Beech Spice &c.
-

West Corrected between Secs. 8 & 17.

- 39.73 Set of Sec. post at average dist. from which
 a W. Oak 20 in. dia. bears S 77 W 6 lbs. dist. 4
 a No. 18 " " " S 74 E 49 " "
 79.46 to Section Corner
-

Ch^d. Lk₁West Between Sec^s. 7 & 18.

24.80 a Beech 8 in. dia.

40.00 Set qⁱ. Sec. post, from which
 a Beech 15 in. dia. bears S 65 E 16 lbs. dist. 4
 a No. 12 " " " N 52 E 15 " "

61.75 a Beech 20 " "

81.66 Intersected the W. boundary 2.25 lbs. N. of post
 Set post Cor to Sec^s. 7 & 18. from which
 a Beech 6 in. dia. bears North 14 lbs. dist. 4
 a No. 6 " " " S 10 E 18 " "
 Broken 3^d. rate Land Beech Oak Hickory Poplar
 undergrowth Dogwood Spice &c.

North Between Sec^s. 7 & 8.

19.75 a Beech 30 in. dia.

40.00 Set qⁱ. Sec. post, from which
 a Beech 20 in. dia. bears S 16 E 21 lbs. dist. 4
 a No. 20 " " " North 21 " "

72.75 a Beech 24 " "

80.00 Set post Cor. to Sec^s. 5, 6, 7, & 8, from which
 a Beech 24 in. dia. bears N 45 W 13 lbs. dist. 4
 a No. 10 " " " S 82 E 23 " "
 Broken 3^d. rate Land Beech Ash &c.
 undergrowth Dogwood Beech &c.

East On R^d between Sec^s. 5 & 840.00 Set temp^y. qⁱ. Sec. post

77.94 Intersected the N. & S. line 2.36 lbs. S. of post
 Broken 3^d. rate Land Beech Oak Hickory &c.
 undergrowth Ironwood Beech &c.

West Corrected between Sec^s. 5 & 8.39.97 Set qⁱ. Sec. post at average dist. from which

T8N R5E, 2nd Mer. Indianach^d. Sta.

a Dogwood 4 in. dia^r. bears S 87 E 7 lvs. dist. 4
 a Beech 3 " " " N 65 W 13 " "

79. 94 to Section Corner

West Between Sec^s. 6 & 7.31. 10 a Maple 12 in. dia^r.

40. 00 Set q^r. Sec. post, from which
 a Beech 15 in. dia^r. bears S 32 E 3 lvs. dist. 4
 a Hickory 30 " " " N 65 W 23 " "

52. 18 a Gum 18 " "

82. 00 Intersected the W. boundary 1.22. lvs. North of post.
 Set a post Cor. to Sec^s. 6 & 7. from which
 a Gum 15 in. dia^r. bears N 85 E 23 lvs. dist. 4
 a B. Oak 30 " " " S 20 W 20 " "
 flat wet Land Beech Maple Gum &c. undergr.
 Spice Beech &c.

North Between Sec^s. 5 & 6.34. 25 a Poplar 48 in. dia^r.

40. 00 Set q^r. Sec. post, from which
 a Beech 18 in. dia^r. bears S 34 E 18 lvs. dist. 4
 a Do. 10 " " " N 5 W 25 " "

71. 50 a Sweet Gum 30 " "

82. 90 Intersected the N. boundary 1.88 lvs. East of post.
 Set a post Cor. to Sec^s. 5 & 6. from which
 a Dogwood 5 in. dia^r. bears S 87 E 18 lvs. dist. 4
 a Do. 10 " " " West 5 " "
 Broken 3^d. rate land Beech Poplar Gum &c.
 Undergrowth Spice Dogwood &c. Oct. 2nd 1819.
 Surveyed By Reuben F. Morris, D.S.

I Certify that the foregoing transcript of field notes of Township N. 8 North, of Range N. 5 East of 2^d Mer. Indiana, has been Comp^d. with the original notes in this Office, and found to be Correct.

Surveyor General's Office
Cincinnati, March 12. 1842

E. S. Rains
Surv. Genl.